SECTION C

INDEX TO VOLUME 23

Authors

Bannan, M. W.—Tetraploid *Taraxacum kok-saghyz*. I. Characters of the leaves and inflorescences in the parental colchicine-induced generation, 131.

Brodie, H. J.—Further observations on the mechanism of germination of the conidia of various species of powdery mildew at low humidity, 198.

Farrar, J. L.—See Grace, N. H.

Garrard, E. H.—A storage rot of potatoes caused by a fluorescent organism resembling *Pseudomonas fluorescens* (Flügge) Migula, 79.

Grace, N. H.—
Liberation of growth stimulating materials by rooting *Salix* cuttings, 85.
Responses of plant stem cuttings treated with chemicals in a carrier dust, 115.

Grace, N. H. and Farrar, J. L.—
Vegetative propagation of conifers
XIII. Rooting of Norway spruce cuttings in the greenhouse, 150.
XIV. Note on seasonal progress of rooting of Norway spruce cuttings, 189.

Gralén, N.—See McCalla, A. G.

Groves, J. W. and Skolko, A. J.—Notes on seed-borne fungi. III. *Curvularia*, 94.

Johnson, L. P. V.—
A rapid squash technique for stem and root tips, 127.
Reduced vigour, chlorophyll deficiency, and other effects of self-fertilization in *Pinus*, 145.
Physiological studies on sap flow in the sugar maple, *Acer saccharum* Marsh., 192.

Johnston, D.—See Thompson, W. P.

Jones, W.—See Newton, W.

McCalla, A. G. and Gralén, N.—Sedimentation and diffusion measurements on glutens from wheats of widely differing quality, 219.

Meredith, W. O. S.—See Newton, M.

Miller, J. J.—
Studies on the *Fusarium* of muskmelon wilt
I. Pathogenic and cultural studies with particular reference to the cause and nature of variation in the causal organism, 16.
II. Infection studies concerning the host range of the organism and the effect of environment on disease incidence, 166.

Newton, M.—See Peturson, B.

Newton, M., Peturson, B., and Meredith, W. O. S.—The effect of leaf rust of barley on the yield and quality of barley varieties, 212.

Newton, W. and Jones, W.—The fluorescence of frozen potato tuber and apple fruit tissue under ultra-violet light, 76.

Peturson, B.—See Newton, M.

Peturson, B., Newton, M., and Whiteside, A. G. O.—The effect of leaf rust on the yield and quality of wheat, 105.

Skolko, A. J.—See Groves, J. W.

Thompson, W. P. and Johnston, D.—The cause of incompatability between barley and rye, 1.

Whiteside, A. G. O.—See Peturson, B.

Zacks, M. B.—Oats and climate in southern Ontario, 45.

SECTION C

INDEX TO VOLUME 23

Subjects

Acer saccharum, Physiological studies on sap flow in, 192.

Apple fruit tissue, Frozen, Fluorescence of, under ultra-violet light, 76.

Avena, Oats and climate in southern Ontario, 45.

Bacteria, Fluorescent organism resembling Pseudomonas fluorescens causing storage rot of potatoes, 79.

Baking quality of flour made from wheat infected with leaf rust, 107.

Barley
- Cause of incompatability between rye and, 1.
- Malting quality of, as affected by leaf rust, 215.
- varieties, Yield and quality of, as affected by leaf rust, 212.

Cell sap of conidia of Erysiphe graminis Hordei and E. Polygoni, Osmotic pressure of, 204.

Cereals, See Barley, Oats, Rye, and Wheat.

Chlorophyll deficiency in Pinus seedlings as affected by self fertilization, 145.

Chromosomes
- Rapid squash technique of preparing slides of stem and root tips for study of, 127.
- See also Polyploidy.

Climate, Oats and, in southern Ontario, 45.

Colchicine treatment, Characters of leaves and inflorescences of tetraploid Taraxacum kok-saghyz induced by, 131.

Conidia, See Fungi (Powdery mildews).

Conifers, See Norway spruce and Pine.

Curvularia, See Fungi (Seed-borne).

Cuttings
- of Salix, See Salix cuttings.
- of stems, See Stem cuttings.

Cytology, Rapid squash technique of preparing slides of stem and root tips, 127.

Dandelion, Russian, Characters of the leaves and inflorescences in colchicine-induced tetraploid plants, 131.

Diffusion and sedimentation measurements on glutens from wheats of widely differing quality, 219.

Erysiphaceae, See Fungi (Powdery mildews).

Erysiphe, See Fungi (Powdery mildews).

Ether extraction, Effect of, and of added linolic acid on glutens from wheat, 222.

Fertilization, See Pollination.

Flour made from wheat infected with leaf rust, Baking quality of, 107.

Fluorescence
- of culture medium for growth of, and potato tuber diseased by, an organism resembling Pseudomonas fluorescens, 80, 81.
- of frozen potato tuber and apple fruit tissue under ultra-violet light, 76.

Fruit tissue, See Fluorescence.

Fungi
- Bacteria, Fluorescent organism resembling Pseudomonas fluorescens causing storage rot of potatoes, 79.
- Fusarium of muskmelon wilt, Studies on,
  - I. Pathogenic and cultural studies with particular reference to the cause and nature of variation in the causal organism, 16.
    - Cultural degradation, 21, 34.
    - Cytology, 20.
    - Description of the organism, 18.
    - Pathogenicity studies on variants, 22.
  - II. Infection studies concerning the host range of the organism and the effect of environment on disease incidence, 166.
    - Environmental factors affecting disease incidence, 167–180.
    - Host range, 181–184.
- Helminthosporium Cymbopogi, Transfer of, to genus Curvularia, 96.
- Leaf rust
  - of barley, Effect of, on yield and quality of barley varieties, 212.

Fungi—*Concluded*
of wheat, Effect of, on yield and quality of wheat, 105.
Powdery mildew(s)
Germination of conidia of various species of Erysiphaceae at low humidity, 200.
Osmotic pressure of cell sap of conidia of Erysiphe graminis Hordei and E. Polygoni, 204.
Structure of papilla of conidia of Erysiphe graminis, 207.
Seed-borne, Notes on, III. Curvularia, 94.
C. Cymbopogi, 96.
Transfer of, from genus Helminthosporium, 96.
C. geniculata, 96.
C. inaequalis, 97.
C. lunata, 101.
C. pallescens, 102.

Fusarium, See under Fungi.

Germination of powdery mildew conidia, See Fungi (Powdery mildews).

Glutens from wheats of widely differing quality, Sedimentation and diffusion measurements on, 219.

Grain(s), See Barley, Oats, Rye, and Wheat.

Growth substances
liberated from Salix cuttings and their effect on rooting of the cuttings, 85, 86.
See also Phytohormones.

Helminthosporium Cymbopogi, Transfer of, to genus Curvularia, 96.

Hordeum, See Barley.

Hormones, See Phytohormones.

Humidity
Low, Germination of conidia of powdery mildew species at, 198.
Relative, Effect of, on germination of conidia of powdery mildew species, 199.

Incompatability between barley and rye, Cause of, 1.

Inflorescences of colchicine-induced tetraploid plants of Taraxacum kok-saghyz, Characters of, 138.

Leaf rust, See under Fungi.

Leaves of colchicine-induced tetraploid plants of Taraxacum kok-saghyz, Characters of, 134.

Linolic acid, Added, and ether extraction, Effect of, on glutens from wheat, 222.

Malting quality of barley as affected by leaf rust, 215.

Maple, Sugar, Physiological studies on sap flow in, 192.

Melon(s), See Fungi (Fusarium of muskmelon wilt).

Micro-organisms, See Fungi.

Microscopical technique, Rapid squash technique of preparing slides of stem and root tips, 127.

Mildews, Powdery, See Fungi (Powdery mildews).

Milling quality of wheat, Effect of leaf rust of wheat on, 107.

Muskmelon wilt, See Fungi (Fusarium of muskmelon wilt).

Norway spruce, See Stem cuttings.

Oats and climate in southern Ontario, 45.
Yield of oats as related to
climatic zones, 62.
rainfall, 57.
temperature, 51.

Osmotic pressure of cell sap of conidia of Erysiphe graminis Hordei and E. polygoni, 204.

Physiological studies on sap flow in the sugar maple, 192.

Phytohormones, Chemical, Effect of, on rooting
of Norway spruce cuttings in the greenhouse, 160.
of various kinds of stem cuttings, 117, 120.

Picea Abies, See Stem cuttings of Norway spruce.

Pine, Reduced vigour, chlorophyll deficiency, and other effects of self fertilization in, 145.

Pinus, See Pine.

Plant hormones, See Phytohormones.

Pollination
Cross, between barley and rye, Embryo development after, 3.
Effect of cross, open, and self pollination in Pinus, 145.
Self
in barley, Embryo development after, 3.
in pine, Reduced vigour, chlorophyll deficiency, and other effects of, 145.

Polyploidy, Characters of leaves and inflorescences of tetraploid Taraxacum koksaghyz induced by colchicine treatment, 131.

Potato
Storage rot of, caused by a fluorescent organism resembling Pseudomonas fluorescens, 79.
tuber tissue
Frozen
Fluorescence of, 76.
Fluorescence of acetone extract of, 76.
Normal, Fluorescence of acetone extract of, 76.

Powdery mildews, See under Fungi.

Precipitation, See Rainfall.

Propagation
Liberation of growth stimulating materials by rooting Salix cuttings, 85.
of conifers, Vegetative,
XIII. Rooting of Norway spruce cuttings in the greenhouse, 150.
Effect of chemical treatments, 160.
Effect of propagating conditions, 151.
XIV. Note on seasonal progress of rooting of Norway spruce cuttings, 189.
of Pinus, Effect of self fertilization on seed set and seedling development, 145.
Rooting
of Salix cuttings as affected by growth substances liberated into the propagating medium, 86.
responses of stem cuttings treated with chemicals in a carrier dust, 115.

Pseudomonas fluorescens, Storage rot of potatoes caused by a fluorescent organism resembling, 79.

Puccinia anomala, Yield and quality of barley varieties as affected by, 212.

Puccinia triticina, Effect of, on yield and quality of wheat, 105.

Rainfall, Yield of oats in southern Ontario as related to, 57.

Rooting, See Propagation.

Root tips, Rapid squash technique of preparing slides of, for chromosomal studies, 127.

Rot, Storage, of potatoes, caused by a fluorescent organism resembling Pseudomonas fluorescens, 79.

Russian dandelion, Characters of the leaves and inflorescences in colchicine-induced tetraploid plants, 131.

Rust, See Fungi (Leaf rust).

Rye, Cause of incompatability between barley and, 1.

Salix cuttings, See Stem cuttings of.

Sap flow in the sugar maple, Physiological studies on, 192.

Secale, Cause of incompatability between barley and rye, 1.

Sedimentation and diffusion measurements on glutens from wheats of widely differing quality, 219.

Seedling(s), Emergence of, in Pinus, as affected by self fertilization, 146.

Seed(s)
Agricultural, Notes on Curvularia species isolated from, 94.
Formation of, in Pinus as affected by self fertilization, 146.
See also Barley, Oats, Rye, and Wheat.

Spores, See Fungi (Powdery mildews).

Spruce, Norway, See Stem cuttings of Norway spruce.

Staining, Rapid squash technique of preparing slides of stem and root tips, 127.

Stem cuttings
of Norway spruce
Rooting of, in the greenhouse, as affected by
chemical treatments, 160.
propagating conditions, 151.
Seasonal progress of rooting of, 189.
of Salix
Liberation of growth stimulating materials from S. alba, S. Bebbiana, and S. discolor, during rooting, 85.
Rooting of, as affected by growth substances liberated into the propagating medium, 86.
treated with chemicals in a carrier dust,
Rooting responses of, 115.
Berberis Thunbergii atropurpurea, 121.
Deutzia Lemoinei, 121.
Iresine Lindeni, 119, 121.
Lonicera tatarica, 118, 121.
Physocarpus opulifolius, 117.
Sambucus canadensis, 121.
Thuja occidentalis, 121.
Weigela florida, 121.

Stem tips, Rapid squash technique of preparing slides of, for chromosomal studies, 127.

Storage rot of potatoes caused by a fluorescent organism resembling Pseudomonas fluorescens, 79.

Sugar maple, Physiological studies on sap flow in, 192.

Taraxacum kok-saghyz, Tetraploid, I. Characters of the leaves and inflorescences in the parental colchicine-induced generation, 131.

Temperature, Yield of oats in southern Ontario as related to, 51.

Triticum, See Wheat.

Tuber(s), See Potato.

Ultra-violet light, Fluorescence of frozen potato tuber tissue and apple fruit tissue when viewed under, 76.

Vigour in Pinus seedlings as affected by self fertilization, 145.

Vitamins, Effect of thiamin and nicotinic acid on rooting of stem cuttings, 118, 160.

Wheat(s)

of widely differing quality, Sedimentation and diffusion measurements on glutens from, 219.

Quality and yield of, as affected by leaf rust, 105.

Willow, See Salix.

Wilt, Muskmelon, See Fungi (Fusarium of muskmelon wilt).